



Modulation of *S. aureus* Quorum Sensing by *P. aeruginosa*

Amador Hierro, Cristina Isabel; Jelsbak, Lars

Published in:

Programme & Abstracts. The Danish Microbiological Society Annual Congress 2016

Publication date:

2016

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Amador Hierro, C. I., & Jelsbak, L. (2016). Modulation of *S. aureus* Quorum Sensing by *P. aeruginosa*. In *Programme & Abstracts. The Danish Microbiological Society Annual Congress 2016* (pp. 44). [P19] Danish Microbiological Society.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

[P19] MODULATION OF *S. AUREUS* QUORUM SENSING BY *P. AERUGINOSA*

Cristina Amador¹, Lars Jelsbak²

¹Department of Biotechnology and Biomedicine, Technical University of Denmark, Kongens Lyngby, Denmark

²Department of Systems Biology, Technical University of Denmark; Department of Biotechnology and Biomedicine, Technical University of Denmark, Kongens Lyngby, Denmark

S. aureus and *P.aeruginosa* are frequently found together in CF airway polymicrobial infections and we have determined the genetic basis of adaptation in the transmissible, CF-adapted *P. aeruginosa* DK2 lineage (PADK2). Here, we investigate whether and how the genetic changes in PADK2 have re-modeled its ability to interact with other CF-airway microorganisms such as *S. aureus*.

Infecting bacteria can grow as aggregates on airway surfaces, therefore we examined the *in vitro* transcriptional pattern of SA and PADK2 grown on a solid surface for 24 hours as monoculture or coculture spots. RNA-seq was performed and a pairwise analysis was conducted for each strain. RNA-seq data was validated by RT-qPCR and transcriptional *lacZ* fusions.

In coculture, SA showed a general tendency of downregulation of gene expression, including reduced expression of many genes involved in virulence and regulated by the Agr Quorum Sensing system such as proteases, leukocidins, leukotoxins and haemolysins. Interestingly, the *agrD* gene encoding the precursor of the autoinducing peptide – AIP– regulating QS, was also downregulated in coculture, pointing to inhibition of the Agr QS system. Consistent with this model, protein A was upregulated in these conditions. Conversely, PADK2 showed upregulation of the *pqsD* gene – involved in biosynthesis of the QS molecule HHQ – and a general pattern of enhanced gene expression.

Our *in vitro* study shows that microbe-microbe interactions can modulate expression of important virulence genes which – in the case of *S. aureus* – results in a phenotype compatible with a persistent infection and enhanced survival in the host. *P. aeruginosa* DK2 modulates *S. aureus* gene expression via the Agr QS system by a yet to be identified mechanism.